
## Phycological Research

Formerly The Japanese Journal of Phycology Volume 44 • Issue 2 • June 1996

ISSN 1322-0829





The Japanese Society of Phycology

### Phycological Research

#### EDITOR-IN-CHIEF

Hiroshi Kawai Kobe University Research Center for Inland Seas Rokkodai Kobe 657, Japan

#### ASSOCIATE EDITORS

Eric C. Henry Department of Botany and Plant Pathology Oregon State University, USA

Sandra C. Lindstrom Department of Botany University of British Columbia Canada

#### EDITORIAL ADVISORY BOARD

Robert A. Andersen Maine, USA Sung-Min Boo Daejon, Korea Shuji Hino Yamagata, Japan Terumitsu Hori Tsukuba, Japan Terunobu Ichimura Muroran, Japan Takeo Horiguchi Graduate School of Science Hokkaido University Japan

Taizo Motomura Institute of Algological Research National Institute for Hokkaido University Japan

Robert J. King School of Biological Sciences University of New South Wales Australia

Makoto M. Watanabe Environmental Studies Japan

In Kyu Lee Department of Botany Seoul National University Korea

Michio Masuda Sapporo, Japan Shigeki Mayama Tokyo, Japan Hiroyuki Nakahara Kyoto, Japan Masao Ohno Kochi, Japan Ikuko Shihira-Ishikawa Tokyo, Japan Mikio Tsuzuki Tokyo, Japan Shin Watanabe Toyama, Japan John A. West Melbourne, Australia Yasutsugu Yokohama Shizuoka, Japan

AIMS AND SCOPE Phycological Research is published by The Japanese Society of Phycology and complements The Japanese Journal of Phycology. The Journal publishes international research dealing with all aspects of phycology to facilitate the international exchange of results.

EDITORIAL CORRESPONDENCE Papers and other material for publication should be sent to the Editor-in-Chief: Dr Hiroshi Kawai, Kobe University Research Center for Inland Seas, Rokkodai, Kobe 657, Japan (fax: +81 78 803 0488; email: kawai@icluna.kobe-u.ac.jp). For details concerning the submission of papers to the Journal see the Notice to Contributors at the back of the Journal.

BUSINESS CORRESPONDENCE All matters relating to orders and subscriptions, back numbers and offprints should be sent to Blackwell Science Pty Ltd, 54 University Street, Carlton, Victoria 3053, Australia (tel: +61 3 9347 0300; fax: +61 3 9347 5001; email: 100036.2660 @compuserve.com, http://www.blacksci.co.uk). Blackwell Science provides a free dial (Japanese language) service from Japan (tel: 00 31 61 6238).

SUBSCRIPTION RATES The Journal is published quarterly and the subscription prices for 1996 are US\$210.00/ ¥18,000.00. The Journal is dispatched to subscribers by surface air-lifted post.

ADVERTISEMENT BOOKINGS Enquiries should be sent to the Advertisement Manager, Blackwell Science Pty Ltd, 54 University Street, Carlton, Victoria 3053, Australia (tel: +61 3 9347 0300; fax: +61 3 9347 5001). Although all accepted advertising material is expected to conform to ethical standards, such acceptance is not implied by the Journal.

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of The Japanese Society of Phycology. As a member, you will receive Phycological Research free

of charge. The annual membership fee for individuals is ¥7,000. Members who reside outside Japan will receive the English journal Phycological Research only and the annual membership fee is reduced to ¥6,000. Those who wish to join the Society should send the application form (at back of the Journal) together with payment to the Membership Secretary: Dr Taiju Kitayama, Division of Cryptogams, National Science Museum, Hyakunincho 3-23-1, Shinjuku, Tokyo 169, Japan (fax: +81 33 364 7104).

Members who wish to claim for missing or damaged issues of the Journal should contact the Membership Secretary.

ABSTRACTING AND INDEXING SERVICES This journal is indexed by Biosis, Cambridge Scientific Abstracts (Ecological Sciences and Fisheries Abstracts), Chemical Abstracts, Current Awareness in Biological Sciences and University Microfilms.

COPYRIGHT AND PHOTOCOPYING © 1996 Blackwell Science Pty Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Pty Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$11.50 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copving, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Publisher. 1322-0829/96 \$11.50

Publication of Phycological Research has been supported in part by a Grant-in-Aid for Publication of Scientific Result from the Ministry of Education, Science and Culture, Japan.

Cover Avrainvillea rotumensis sp. nov. from the island of Rotuma, South Pacific, showing its distinctive peltate habit and internal siphon anatomy. (See pp. 81-84 for details.)

This journal is printed on acid-free paper

### The Japanese Society of Phycology

Officers for 1996-1997 Treasurer: Kazuhiro Kogame, Division of Biological President: Tadao Yoshida, Division of Biological Sciences, Sciences, Graduate School of Science, Hokkaido Graduate School of Science, Hokkaido University, University, Sapporo 060, Japan Sapporo 060, Japan Editor, Phycological Research: Hiroshi Kawai, Kobe Secretary: Takeo Horiguchi, Division of Biological University Research Center for Inland Seas, Rokkodai, Sciences, Graduate School of Science, Hokkaido Kobe 657, Japan University, Sapporo 060, Japan Editor, The Japanese Journal of Phycology 'Sorui': Isao Membership Secretary: Taiju Kitayama, Department of Botany, National Science Museum, Tokyo, 4-1-1 Inouve, Institute of Biological Sciences, University of Amakubo, Tsukuba, Ibaraki, 305 Japan Tsukuba, Tsukuba 305, Japan Members of Executive Council 1996-1997 Takeo Okuda Yuji Fujita Nagasaki University Yoshiaki Sanbonsuga Tohoku National Fisheries Research Yoshiaki Hara University of Tsukuba Hiroshi Kawai Kobe University Institute Jiro Tanaka Tokyo University of Fisheries Shigeru Kumano Makoto M. Watanabe National Institute for Environmental Michio Masuda Hokkaido University Studies Taketo Nakano Hiroshima University Shin Watanabe Toyama University Hisayoshi Nozaki National Institute for Environmental Stud-Hirotoshi Yamamoto Hokkaido University ies Yasutsugu Yokohama University of Tsukuba Megumi Okazaki Tokyo Gakugei University Kazuo Okuda Kochi University


#### JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF PHYCOLOGICAL RESEARCH PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

		Application for	member	rship		
(Please type or write in block	(letters)			Men	nbership starts from 1995	
Name in full:			' (Given name and initials)			
Mailing address:						
			_	(Postal code)	(Country)	
Telephone:		F	ax:			
E-mail:		1	nterests: _			
Signature:		[	Date:			
		I fee for individu or members who				
Payment by:	🗆 Visa	MasterCard	🗆 Am	nerican Express		
Card number:		Expiry d	ate:			
Signature:						
<ul> <li>International giro postal t</li> <li>International postal mone</li> </ul>	y order	al account No.: 0018				
Send application form to:	Dr Ta Depar Tokyo	iju Kitayama rtment of Botany, Nat , 4-1-1 Amakubo, Ts +81 298 53 8401	ional Scie	nce Museum,		

# Phycological Research

Formerly The Japanese Journal of Phycology	
Volume 44 • Issue 2 • June 1996	
Thierry Chopin, Carolyn J. Bird, Colleen A. Murphy, Jane A. Osborne, Moshin U. Patwary and Jean- Yves Floc'h <i>A molecular investigation of polymorphism in the North Atlantic red alga</i> Chondrus crispus	69
(Gigartinales) Antoine D. R. N'Yeurt, Diane S. Littler and Mark M. Littler Avrainvillea rotumensis sp. nov. (Bryopsidales, Chlorophyta), a peltate species from the South Pacific	81
Kazuhiro Kogame Morphology and life history of Scytosiphon canaliculatus comb. nov. (Scytosiphonales, Phaeo- phyceae) from Japan	85
Dení Rodríguez Vargas and Ligia Collado-Vides Architectural models for apical patterns in Gelidium (Gelidiales, Rhodophyta): hypothesis of growth	95
Tadao Yoshida and Hideo Mikami Observations on Japanese species of the genus Martensia (Delesseriaceae, Rhodophyta), with the description of Neomartensia gen. nov.	101
Shin Watanabe, Seishiro Hirabayashi, Sammy Boussiba, Zvi Cohen, Avigad Vonshak and Amos Richmond Research Note: Parietochloris incisa comb. nov. (Trebouxiophyceae, Chlorophyta)	107
Ulf Karsten, Anika S. Mostaert, Robert J. King, Mitsunobu Kamiya and Yoshiaki Hara Research Note: Osmoprotectors in some species of Japanese mangrove macroalgae	109
Hiroyuki Nakahara, Tomoko Sakami, Mireille Chinain and Yuzaburo Ishida Research Note: The role of macroalgae in epiphytism of the toxic dinoflagellate Gambierdiscus toxicus (Dinophyceae)	113



Science

