
Phycological Research

Volume 54 • Issue 2 • June 2006

ISSN 1322-0829



Blackwell Publishing

The Japanese Society of Phycology

Phycological Research

EDITOR-IN-CHIEF

Kazuo Okuda

Graduate School of Kuroshio Science, Kochi University, Kochi, Japan

ASSOCIATE EDITORS

Antonio Flores-Moya Faculty of Science University of Málaga Spain

Christos Katsaros Faculty of Biology University of Athens Greece

Ichiro Mine Graduate School of Kuroshio Science, Kochi University Japan

Giuseppe C. Zuccarello School of Biological Sciences Victoria University of Wellington New Zealand Daisuke Fujita
Department of Marine
Biosciences
Tokyo University of
Marine Science and
Technology
Japan

Jeong Ha Kim Department of Biological Sciences Sungkyunkwan University Korea

Taizo Motomura Field Science Center for Nothern Biosphere Hokkaido University Japan Gert Hansen
Botanical Institute
Univeristy of
Copenhagen
Denmark

Gwang Hoon Kim Department of Biology Kongju National University Korea

Orlando Necchi Jr Zoology and Botany Department São Paulo State University Brazil Ken-ichiro Ishida Graduate School of Natural Science & Technology Kanazawa Univeristy Japan

Kazuhiro Kogame Graduate School of Science Hokkaido University Japan

Hisayoshi Nozaki Graduate School of Science University of Tokyo Japan Ulf Karsten Institute of Aquatic Ecology - Applied Ecology - University of Rostock Germany

John W. La Claire II Section of Molecular Cell and Developmental Biology University of Texas at Austin USA

John West School of Botany University of Melbourne Australia

EDITORIAL ADVISORY BOARD

Yuji Fujita *Nagasaki, Japan* Terumitsu Hori *Tsukuba, Japan* Takeo Horiguchi *Hokkaido, Japan* Ichiro Imai *Kyoto, Japan* Hironao Kataoka *Sendai, Japan* Hiroshi Kawai Kobe, Japan Dieter G. Müller Konstanz, Germany Masao Ohno Kochi, Japan Megumi Okazaki Tokyo, Japan Robert Sheath *Guelph, Canada* Makoto M. Watanabe *Tsukuba, Japan* Yasutsugu Yokohama *Shizugawa, Japan* Isao Inouye *Tsukuba, Japan*

This journal is available online at Blackwell synergy. Visit http://www.blackwell-synergy.com to search the articles and register for table of contents email alerts.

Access to this journal is available free online within institutions in the developing world through the AGORA initiative with the FAO. For information, visit http://www.aginternetwork.org.

AIMS AND SCOPE Phycological Research is published by the Japanese Society of Phycology and complements the Japanese Journal of Phycology. The Journal publishes international, peerreviewed research dealing with all aspects of phycology to facilitate the international exchange of results. All articles are peer-reviewed by at least two researchers expert in the field of the submitted paper. Phycological Research has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information see http://bgbm3.bgbm.fuberlin.de/iapt/registration/journals/htm.

ABSTRACTING AND INDEXING SERVICES The journal is indexed by BIOSIS Database, Cambridge Scientific Abstracts, Chemical Abstracts Service, Ecological Abstracts, EMBASE/Excerpta Medica, GEOBASE, ProQuest (previously University Microfilms), Science Citation Index (ISI), Zoological Record and National Inquiry Services Centre.

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of the Society. As a member you will receive *Phycological Research* and the *Japanese Journal of Phycology* free of charge. The annual membership fee for individuals ¥8000. (Members who reside outside Japan will receive only the English language journal *Phycological Research* and the annual membership fee is ¥7000 (standard), ¥5000 student).)

Those who wish to join the Society should send the application form (at the back of each issue of the Journal), together with payment, to the Membership Secretary, Dr Mitsunobu Kamiya, at the address given on the form. Members who wish to claim for missing or damaged issues should contact the Membership Secretary.

ADDRESS FOR EDITORIAL CORRESPONDENCE Kazuo Okuda, Graduate School of Kuroshio Science, Kochi University, 2-5-1 Akebono-cho, Kochi 780-8520, Japan (email okuda@cc.kochi-u.ac.jp).

DISCLAIMER The Publisher, Society and Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily rflect those of the Publisher, Society and Editors, neither does the publication of advertisements constitute any endorsement by the Publisher, Society and Editors of the products advertised.

© 2006 Japanese Society of Phycology.

Cover Immunofluorescence of cortical microtubules in the dinoflagellate *Pyrocystis Iunula* (Schütt) Schütt. Photographed by Dr. Satoko Sekida.

For submission instructions, subscription and all other information visit http://www.blackwellpublishing.com/pre

ISSN 1322-0829 (Print) ISSN 1440-183 (online)

The Japanese Society of Phycology

Officers for 2005-2006

President: Hiroshi Kawai, Kobe University Research Center for Inland Seas, Kobe 657-8501, Japan Secretary: Takeaki Hanyuda, Kobe University

Research Center for Inland Seas, Kobe 657-8501, Japan

Japan Japan

Public Relations Secretary: Satoshi Shimada, Center for Advanced Science and Technology, Hokkaido University, Sapporo 060-0810, Japan Membership Secretary: Mitsunobu Kamiya, Faculty of Biotechnology, Fukui Prefectural University, Obama 917-0003, Japan

Secretary for International Affairs: Ken-ichiro Ishida, Faculty of Science, Kanazawa University, Kanazawa 920-1192, Japan

Treasurer: Daiske Honda, Faculty of Science and Engineering, Konan University, Kobe 658-8501, Japan.

Members of Executive Council 2005-2006

Tetsuro Ajisaka Kyoto University

Daisuke Fujita Tokyo University of Marine Science and

Technology

Yoshiaki Hara Yamagata University
Takeo Horiguchi Hokkaido University
Masahiko Idei Bunkyo University
Ichiro Imai Kyoto University
Isao Inouye University of Tsukuba
Ken-ichiro Ishida Kanazawa University

Tadahiko Kajiwara Yamaguchi University
Shigeo Kawaguchi Kyushu University
Akira Kurashima Mie University
Miyuki Maegawa Mie University
Tamotsu Nagumo The Nignan Dental University

Tamotsu Nagumo The Nippon Dental University

Tadahide Noro Kagoshima University Kazuo Okuda Kochi University Naotsune Saga Hokkaido University Makoto Yoshizaki Toho University

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF PHYCOLOGICAL RESEARCH PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership

(Please type or write	in block lette	ers)		Membership starts from 2005 (Given name and initials)			
Name in full: (Family n	ame)		' (Given name				
Mailing address:							
Telephone:			Fax:	(Postal code)	(Country)		
				CS:			
Signature:							
	mbers who	reside outside	Japan, ¥50	embers is ¥8000 00 for students who s or Head of Departme			
Payment by:	□ Visa	☐ MasterCard	☐ American	Express			
Card number:	Expiry date:						
Signature:							
□ International giro po □ International postal	ostal transfer money order	(Postal Account N	o.: 01320-4-48	3748)			

Send application form to: Dr Mitsunobu Kamiya

Faculty of Biotechnology Fukui Prefectural University

1-1 Gakuen-cho, Obama 917-0003, Japan

Fax: +81 770 52 6003; email:jsp@wwwsoc.nii.ac.jp

Phycological Research

1	/olume	51	Issue	2	_ luna	2006
1	/olume	34	- ISSUE	2	Julie	2000

Marinês Ga	arcia transfer of Fragilaria obtusa Hustedt to the genus Staurosira Ehrenberg (Bacillariophyceae)	87
Impa	o Abe, Katsuhiro Kiso, Osamu Katano, Satoshi Yamamoto, Tamotsu Nagumo and Jiro Tanaka nets of differential consumption by the grazing fish, Plecoglossus altivelis, on the hic algal composition in the Chikuma River, Japan	94
	uji and David M. Williams nination of the type material of Synedra rumpens = Fragilaria rumpens, <i>Bacillariophyceae</i>	99
Rese	Hernández-Chavarría and Ana Sittenfeld earch note: Preliminary report on the extreme endolithic microbial consortium of 'Pailas e', 'Rincón de la Vieja' Volcano, Costa Rica	104
Ecolo	mona, Gustavo Montejano and Orlando Necchi Júnior ogy and morphological characterization of gametophyte and 'Chantransia' stages of dotia huillensis (Batrachospermales, Rhodophyta) from a stream in central Mexico	108
Phys	tatsuka, Yuki Tsuchikane, Ryo-hei Fukumoto, Tadashi Fujii and Hiroyuki Sekimoto siological characterization of the sex pheromone protoplast-release-inducing protein the Closterium peracerosum-strigosum-littorale complex (Charophyta)	116
Latite	Reimer, Kiyotaka Takishita, Shusuke Ono, Tadashi Maruyama and Junzo Tsukahara udinal and intracolony ITS-rDNA sequence variation in the symbiotic dinoflagellate us Symbiodinium (Dinophyceae) in Zoanthus sansibaricus (Anthozoa: Hexacorallia)	122
Ultra	emori, Chikako Nagasato, Atsushi Kato and Taizo Motomura astructural and immunocytological studies on the rhizoplast in the chrysophycean alga romonas danica	133
	onchin, T. Samaai, R. J. Anderson and J. J. Bolton nge–seaweed associations in species of Ptilophora (Gelidiaceae, Rhodophyta)	140
Unda	oh and Daisuke Muraoka aria mitochondrial large subunit ribosomal DNA (Phaeophyceae, Alariaceae): ctural properties and use for phylogenetic analysis	149
New	Millar and Claude E. Payri records of marine benthic algae from the Lagon Sud-Ouest of New Caledonia, th Pacific	154
Announce	ement	171

