
Phycological Research

Volume 56 · Issue 2 · June 2008

ISSN 1322-0829





The Japanese Society of Phycology

Phycological Research

EDITOR-IN-CHIEF

Ken-ichiro Ishida

Graduate School of Life and Environmental Sciences, University of Tsukuba, Japan

ASSOCIATE EDITORS

John M. Archibald Department of Biochemistry and Molecular Biology, Dalhousie University, Canada

Ulf Karsten Department of Biological Sciences, University of Rostock, Germany

Shigeki Mayama Department of Biology, Tokyo Gakugei University, Japan

John West School of Botany, University of Melbourne, AusOlivier De Clerck Biology Department, Ghent University, Belgium

Jeong Ha Kim Department of Biological Sciences, Sungkyunkwan University, Korea

Hideaki Miyashita Department of Technology and Ecology, Graduate School of Global Environmental Studies, Kyoto University, Japan

Giuseppe C. Zuccarello School of Biological Sciences, Victoria University of Wellington, New Zealand Yuji Inagaki Center for Computational Science, University of Tsukuba, Japan

Gwang Hoon Kim Department of Biology, Kongju National University, Korea

Taizo Motomura Field Science Center for Nothern Biosphere, Hokkaido University, Japan Mitsunobu Kamiya Department of Marine Bioscience, Faculty of Biotechnology, Fukui Prefectural University, Japan

Kazuhiko Koike Graduate School of Biosphere Science, Hiroshima University, Japan

Hisayoshi Nozaki Department of Biological Sciences, Graduate School of Science, University of Tokyo, Japan Ulf Karsten Institute of Aquatic Ecology - Applied Ecology - University of Rostock, Germany

Brian S. Leander Departments of Zoology and Botany, University of British Columbia, Canada

Makoto Watanabe Graduate School of Life and Environmental Sciences, University of Tsukuba, Japan

This journal is available online at Blackwell synergy. Visit http://www.blackwell-synergy.com to search the articles and register for table of contents email alerts

Access to this journal is available free online within institutions in the developing world through the AGORA initiative with the FAO, and the OARE initiative with UEP. For information, visit http://www.aginternetwork.org, www.oarescience.org.

AIMS AND SCOPE Phycological Research is published by the Japanese Society of Phycology and complements the Japanese Journal of Phycology. The Journal publishes international, peerreviewed research dealing with all aspects of phycology to facilitate the international exchange of results. All articles are peer-reviewed by at least two researchers expert in the field of the submitted paper. Phycological Research has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information see http://bgbm3.bgbm.fu-berlin.de/iapt/registration/journals/htm.

ABSTRACTING AND INDEXING SERVICES This journal is indexed by Aquatic Sciences & Fisheries Abstracts, BIOBASE, Biological Abstracts, BIOSIS Previews, Biotechnology & Bioengineering Abstracts, Cambridge Scientific Abstracts, Chemical Abstracts Service, Current Awareness in Biological Sciences, Current Contents, Ecological Abstracts, EMBASE/Excerpta Medica, Environmental Sciences and Pollution Management, GEOBASE, Irrigation and Drainage Abstracts, Microbiology Abstracts, Oceanic Abstracts, Pollution Abstracts, ProQuest (previously University Microfilms), Referativnyi Zhurnal, Science Citation Index (ISI), Soils and Fertilizers, Weed Abstracts, Zoological Record, National Inquiry Services Centre (NISC).

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of the Society. As a member you will receive Phycological Research and the Japanese Journal of Phycology free of charge. The annual membership fee for individuals \$48000. (Members who reside outside Japan will receive only the English language journal Phycological Research and the annual membership fee is \$7000 (standard), \$4000 student).)

Those who wish to join the Society should send the application form (at the back of each issue of the Journal), together with payment, to the Membership Secretary, Dr Mitsunobu Kamiya, at the address given on the form. Members who wish to claim for missing or damaged issues should contact the Membership Secretary.

ADDRESS FOR EDITORIAL CORRESPONDENCE Ken-ichiro Ishida, Graduate School of Life and Environmental Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan (E-mail: ishida@sakura.cc.tsukuba.ac.io).

DISCLAIMER The Publisher, Society and Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily reflect those of the Publisher, Society and Editors, neither does the publication of advertisements constitute any endorsement by the Publisher, Society and Editors of the products advertised.

© 2008 Japanese Society of Phycology.

This publication is supported in part by a Grant-Aid for Publication of Scientific Research Results from the Japan Society for the Promotion of Science (JSPS).

Cover Schematic drawing of Haramonas pauciplastida (Raphidophyceae). Illustrated by Haruyo Yamaguchi and Takeshi Nakayama.

For submission instructions, subscription and all other information visit http://www.blackwellpublishing.com/pre

ISSN 1322-0829 (Print) ISSN 1440-1835 (online)

The Japanese Society of Phycology

Officers for 2007-2008

President: Hiroshi Kawai, Kobe University Research Center for Inland Seas, Kobe 657-8501, Japan Secretary: Takeaki Hanyuda, Kobe University

Research Center for Inland Seas, Kobe 657-8501,

Public Relations Secretary: Yukimasa Yamagishi, Faculty of Life Science and Biotechnology, Fukuyama University, Fukuyama 729-0292, Japan

Membership Secretary: Mitsunobu Kamiya, Faculty of Biotechnology, Fukui Prefectural University, Obama 917-0003, Japan

Secretary for International Affairs: Satoshi Shimada, Creative Research Initiative Sousei, Hokkaido University, Sapporo 060-0810, Japan

Treasurer: Daiske Honda, Faculty of Science and Engineering, Konan University, Kobe 658-8501, Japan.

Members of Executive Council 2007–2008

Hideomi Amano Mie University, Japan

Daisuke Fujita Tokyo University of Marine Science and

Technology, Japan

Yuji Fujita Nagasaki University, Japan

Shinji Handa Hiroshima Environmental and Health

Association, Japan

Yoshiaki Hara Yamagata University, Japan Kyoko Hatano Kyoto University, Japan

Ken-ichiro Ishida University of Tsukuba, Japan Masanobu Kawachi National Institute for

Environmental Studies, Japan

Akira Kurashima Mie University, Japan

Hideaki Miyashita Kyoto University, Japan Taizo Motomura Hokkaido University, Japan Tadahide Noro Kagoshima University, Japan Shuji Ohtani Shimane University, Japan Jeanine L. Olsen University of Groningen, The Netherlands

Akira F. Peters Roscoff, France Naotsune Saga Hokkaido University, Japan Yoshihiro Shiraiwa University of Tsukuba, Japan Jiro Tanaka Tokyo University of Marine Science and

Technology, Japan

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF PHYCOLOGICAL RESEARCH PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership

(Family name)			(Given name and initials)					
Mailing address:								
Falanhana				(Postal code)				
);				
IIIaII:								
			Date:					
Signature:	The abers who	annual fee for reside outside	Date: individual me Japan, ¥500	embers is ¥8000 00 for students who	submit a verifying			
Gignature: (¥7000 for mem st	The libers who atement s	annual fee for reside outside igned by their	Date:individual me Japan, ¥500 Chairperson	embers is ¥8000 00 for students who so or Head of Departme	submit a verifying			
(¥7000 for mem sta	The abers who atement s	annual fee for reside outside signed by their	Date:individual medividual medividual mediud Japan, ¥500 Chairperson □ American	embers is ¥8000 00 for students who so or Head of Department Express	submit a verifying			
Gignature: (¥7000 for mem st	The abers who atement s	annual fee for reside outside signed by their	Date:individual medividual medividual mediud Japan, ¥500 Chairperson □ American	embers is ¥8000 00 for students who so or Head of Department Express	submit a verifying			
(¥7000 for mem sta	The abers who atement s	annual fee for reside outside signed by their MasterCardEx	Date: individual median, ¥500 Chairperson of American piry date:	embers is ¥8000 00 for students who so or Head of Department Express	submit a verifying			

Send application form to: Dr Mitsunobu Kamiya

Faculty of Biotechnology Fukui Prefectural University 1-1 Gakuen-cho.

Obama 917-0003, Japan

Fax: +81 770 52 6003; email:jsp@wwwsoc.nii.ac.jp

Phycological Research

١	/olume	56	Issue	2		June	200	12
- 1	Olulle		13346		•	Julic	200	\mathcal{O}

Denise L. House, Alison R. Sherwood and Morgan L. Vis Comparison of three organelle markers for phylogeographic inference in Batrachospermum helminthosum (Batrachospermales, Rhodophyta) from North America	69
Yanyou Wu, Pingping Li, Baoli Wang, Congqiang Liu, Mei He and Chuan Chen Composition and activity of external carbonic anhydrase of microalgae from karst lakes in China	76
Hiroyuki Tanaka and Tamotsu Nagumo Thalassiocyclus pankensis <i>sp. nov., a new diatom from the Panke Swamp, northern Japan</i> (Bacillariophyta)	83
Keun-Yong Kim, Mitsunori Iwataki and Chang-Hoon Kim Research Note: Molecular phylogenetic affiliations of Dissodinium pseudolunula, Pheopolykrikos hartmannii, Polykrikos cf. schwartzii and Polykrikos kofoidii to Gymnodinium sensu stricto species (Dinophyceae)	89
Meenakshisundaram Ganesan, Chennur R.K. Reddy, Karuppanan Eswaran and Bhavanath Jha Seasonal variation in the biomass, quantity and quality of agar from Gelidiella acerosa (Forsskal) Feldmann et Hamel (Gelidiales, Rhodophyta) from the Gulf of Mannar Marine Biosphere Reserve, India	93
Paul W. Gabrielson On the absence of previously reported Japanese and Peruvian species of Prionitis (Halymeniaceae, Rhodophyta) in the northeast Pacific	105
Etienne Jean Faye, Kazuhiro Kogame, Satoshi Shimada, Shigeo Kawaguchi and Michio Masuda New red alga Meristotheca imbricata (Solieriaceae, Gigartinales) from Japan	115
Haruyo Yamaguchi, Mona Hoppenrath, Kiyotaka Takishita and Takeo Horiguchi Haramonas pauciplastida <i>sp. nov. (Raphidophyceae, Heterokontophyta) and phylogenetic</i> analyses of Haramonas species using small subunit ribosomal RNA gene sequences	127
Corrigendum	139